

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11	6	Shachar-Yehoshua.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/06 12:47
S34	1048	(navigat\$3 guid\$3 control\$3 maneuver\$4 operat\$3) with (magnet electromagnet magnetic) with (catheter guidewire endoscope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:06
S35	130182	(magnet electromagnet magnetic) same ((position location orientation) with (measur\$3 determin\$3 detect\$3 sens\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 09:31
S36	315	S34 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 11:11
S37	42	"virtual tip"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 11:11
S38	34	S34 and servo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 11:39
S39	1048	(navigat\$3 guid\$3 control\$3 maneuver\$4 operat\$3) with (magnet electromagnet magnetic) with (catheter guidewire endoscope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:56
S40	131	S39 and ((remote with control) joystick)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:16
S41	99	S39 and calibrat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:26
S42	418	"calibration fixture"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:26
S43	26	"calibration fixture" same (magnet magnetic magnetically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:42
S44	170	virtual with (catheter guidewire)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:42

S45	2	S39 and (x-axis with controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 15:58
S46	20	(x-axis near controller) and (y-axis near controller) and (z-axis near controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:00
S47	352	(x-axis with y-axis with z-axis with controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:01
S48	4	"piezoelectric rings" with catheter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:17
S51	4	"piezoelectric ring" with catheter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:18
S52	65	S39 and piezoelectric\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:21
S53	6710	closed with loop with servo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:22
S54	2	S39 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:22
S55	65	S53 and "600"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/07 16:22
S56	134	"magnetic field sensor" with "temperature sensor"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:04
S57	83	(magnetic adj field adj sensor) with temperature with sensitiv\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:06
S58	134	(magnetic adj field adj sensor) with (temperature adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:23
S59	271	(magnetic adj sensor) with (temperature adj sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:12

S60	260	S59 not S58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:07
S61	249	(magnetic with temperature with sensor with compensat\$4)	US-PGPUB; USPAT	OR	ON	2006/02/08 09:21
S63	3	(magnetic with thermistor with sensor with compensat\$4)	US-PGPUB; USPAT	OR	ON	2006/02/08 09:21
S64	7	((magnetic adj field adj sensor) with (temperature adj sensor)) with compensat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:23
S65	115	(magnetic adj field adj sensor) with (temperature adj sensor)	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/08 09:23
S66	6	((magnetic adj field adj sensor) with (temperature adj sensor)) with compensat\$5	US-PGPUB; USPAT	OR	ON	2006/02/08 09:24
S67	1836	"c-arm"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:28
S68	1048	(navigat\$3 guid\$3 control\$3 maneuver\$4 operat\$3) with (magnet electromagnet magnetic) with (catheter guidewire endoscope)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 09:28
S69	48	"c-arm" and S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 11:18
S70	7	S69 and piezoelectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 10:13
S71	21	S69 and electromagnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 10:23
S72	22	S68 and (tactile with feedback)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 10:23
S73	2	encoder with "limit switch" with "operator switch"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 13:18
S75	25	(remote with surgery) same (tactile with feedback)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/08 13:19